



Cali, Colombia. Tasas de incidencia de cáncer de hígado específicas por edad, crudas y ajustadas por edad durante el periodo 1962-2017


HOMBRES

Periodo	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85	n	TC	TEE
1962-1966	0	0	5.9	1.9	11.3	3.5	16.6	21.4	11.5	51.8	68.8	46.6	28	1.9	4
1967-1971	0	1	2.4	3.3	0	0	16.4	8.8	19.7	35.1	0	0	19	1.1	2.4
1972-1976	0	2.6	2.9	2.5	3	6.2	5.1	7.8	11.3	12.4	0	0	22	1	1.9
1977-1981	0.6	0.7	4	3.1	0	12.2	8.4	10.2	13.7	58.5	18.8	0	37	1.4	2.8
1982-1986	0.4	1	0.6	1.6	5.5	3.6	9.2	20.5	19	0	10.2	13.6	45	1.4	2.3
1987-1991	0.3	1.2	1.6	1.4	5.5	7.2	6.1	18	12.8	24.3	45.5	10.7	61	1.7	2.6
1992-1996	0.5	0.7	0	1.2	4.8	6.4	10.9	14.6	33.8	27	41.9	26.2	81	2	3
1998-2002	0.6	0.6	1.4	1.8	5	6.5	15.2	12.9	26.3	35.4	17.7	58.3	105	2.4	3.1
2003-2007	0.3	0	0.9	2.5	3.6	6.4	10.8	20.5	32.8	45.3	44.9	32.8	144	3	3.4
2008-2012	0	0	0.8	1.8	4	10.6	21.8	33	38.8	72.2	67.8	82.2	249	4.6	5
2012-2016	0.2	0.3	1.1	1.1	4.4	4.7	22.1	36.6	33.3	57.6	60	90.2	256	4.5	4.6
2013-2017	0.4	0.2	0.6	1.7	3.7	7.2	15.8	39.8	34.2	56.4	68.7	102.6	272	4.8	4.7

MUJERES

Periodo	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85	n	TC	TEE
1962-1966	0	1	4.3	0	4.1	12.5	19.1	28.2	53.3	12.2	59.3	0	35	2.1	4.4
1967-1971	0.7	0	2.3	5.3	3.3	6.6	8.8	11.3	19.7	21	0	0	26	1.3	2.5
1972-1976	0.6	0	0	3.2	2.6	0	6.5	13	4.5	19.7	0	0	19	0.8	1.5
1977-1981	0	0.6	0.7	2.6	2.2	7.5	3.6	5.6	10.8	13.7	0	11.9	24	0.8	1.4
1982-1986	0	0	0.6	0	1.6	7.3	9.2	11	12.7	19.9	0	0	34	1	1.6
1987-1991	0.3	0	1	1.8	3.5	2.7	9.3	10.4	22.4	34.6	24.7	18.4	63	1.6	2.2
1992-1996	0.5	0.6	0.4	2.1	4.3	5.3	7.5	11.2	25.1	23.4	35.3	20.8	85	1.9	2.5
1998-2002	0	0.5	0.3	1.5	4.2	4.7	13	11	25.5	32.8	37.4	40.3	124	2.5	2.7
2003-2007	0.5	0.7	0	1.2	5.1	5.2	6.8	13.8	15.7	28.7	28.4	30.9	133	2.5	2.3
2008-2012	0.2	0.5	1	2.5	3.8	6.5	9.5	10.1	20	5.3	14.4	2.1	126	2.2	1.9
2012-2016	0	1.4	1.2	0	1.3	4.9	5.9	17.3	27.1	38.9	70.6	63.4	244	4.3	2.8
2013-2017	0	0.9	1.2	1.2	2	6.2	5.6	20	38.5	37.1	71.4	62.9	282	4.6	3.3








Cali, Colombia. Tasas de mortalidad por cáncer de hígado específicas por edad, crudas y ajustadas por edad durante el periodo 1984-2020

HOMBRES

Periodo	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85	n	TC	TEE
1984-1988	0.8	2.4	2.5	4.7	7.1	10.3	20.3	51.5	54.1	47.4	102.4	63.5	122	3.8	6.3
1989-1993	0.6	0.4	3.4	3.2	8.3	11.8	13.7	38.5	45.6	80.1	140.3	130	148	4.1	6.2
1994-1998	1.1	0.3	0.8	1.6	10.8	12.6	18.5	32.7	44.6	62.4	108.3	78.9	162	4	5.5
1999-2003	0.3	0	2.8	2.2	7.5	11.9	26.2	32.9	53.6	71.4	75.8	117.2	209	4.7	6
2004-2008	0.8	1.4	2.1	3.6	5.6	9.5	19.2	34.1	54.2	83.3	92.5	70	258	5.2	5.8
2009-2013	0.5	0.8	0.8	1.7	4.8	11.9	19.2	39.9	51	74.7	99.6	118.8	306	5.6	5.8
2014-2018	0.4	0.5	1.1	2.8	4.5	9.4	17.6	38.9	51.9	76.7	101.9	114	316	5.7	5.7
2016-2020	0.8	0.9	1.6	2.3	5.3	6.7	17.7	37.6	51.1	86.2	83.1	129.8	366	6.3	5.7

MUJERES

Periodo	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85	n	TC	TEE
1984-1988	0	0	0.6	0.7	8.5	18	26	41.6	45.6	66.6	96.5	63.2	143	4	6
1989-1993	0.3	1	1.4	5.8	7.9	20.1	29	33.7	59.2	88.5	100.9	69.4	207	5.1	6.9
1994-1998	0.7	1.4	1.5	4.2	7.7	15.3	20.9	30.2	47.9	47.1	74.2	73.2	202	4.5	5.4
1999-2003	0	1.1	0.6	2.6	6.2	10.8	21.7	20.1	41.5	59.9	71	121.2	236	4.8	4.9
2004-2008	1	1	1	2.6	4.9	8.5	16.5	27.4	36.8	60.9	58	64.4	269	4.9	4.5
2009-2013	0.4	0	1.2	2.9	6.1	10.4	9.9	36	46.7	63.7	80.1	95.6	371	6.2	4.9
2014-2018	0	0.5	0.7	2.4	4.4	10.2	8.6	27.6	50.5	55.6	105.2	81.3	372	6.1	4.5
2016-2020	0.2	0.4	0.9	1.2	2.9	8.2	7.6	20.2	29.2	50.7	80.5	103.2	360	5.6	3.6



TC Tasas crudas; TEE Tasas estandarizadas por edad con la población mundial de referencia