



Cali, Colombia. Tasas de incidencia de cáncer de esófago específicas por edad, crudas y ajustadas por edad durante el periodo 1962-2019


HOMBRES

Periodo	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85	n	TC	TEE
1962-1966	1	1.2	1.5	1.9	9.1	13.9	24.9	21.4	34.6	34.5	103.3	139.9	32	2.2	5.2
1967-1971	0	0	0	4.9	3.8	11.7	6.6	21.9	13.2	35.1	0	0	22	1.2	2.8
1972-1976	0	0	0	5	4.6	6.2	7.7	11.6	17	68.5	0	0	30	1.4	3.1
1977-1981	0	0	1.6	2.1	7.5	7	4.2	23.7	31.9	29.3	75	0	38	1.5	3.1
1982-1986	0.4	0	0.6	4	4.6	6	15.3	13.7	34.9	30.8	71.2	54.4	65	2.1	3.6
1987-1991	0	0.4	1.6	2	7.1	4.1	17.1	21.6	30.7	52.7	30.3	74.9	86	2.5	3.9
1992-1996	0.3	0	0	1.7	4.8	7.3	17.9	24.7	35.9	33.8	47.8	78.6	100	2.5	3.9
1998-2002	0	0.6	1.4	3.6	1.1	11.6	8.9	17.7	26.3	47.2	35.4	58.3	112	2.6	3.3
2003-2007	0.3	0.3	0.6	1.8	1.8	4.7	10.8	18.5	25	32.6	51.8	56.2	119	2.4	2.8
2008-2012	0	0.3	0.6	0.3	1.8	2.8	5.4	10.7	14.4	17.6	46.1	43.1	90	1.7	1.7
2012-2016	0	0.3	0.6	0.6	1.6	3.9	8.2	9.8	14.1	24.5	42.5	39.7	109	2.1	1.9
2013-2017	0	0	0.3	0.6	1.8	3.4	8.9	7.4	14.6	31	41.7	53.1	117	2.1	2
2015-2019	0.2	0	0.3	0.6	1.8	3.5	8.7	12.4	17.2	32.5	28.3	68	136	2.4	2.2

MUJERES

Periodo	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85	n	TC	TEE
1962-1966	0	0	0	3.4	2	0	6.4	11.3	7.6	12.2	39.6	0	11	0.7	1.4
1967-1971	0	0	2.3	2.6	0	2.2	2.9	3.8	13.2	21	0	0	13	0.6	1.3
1972-1976	0	0	1.7	2.1	2.6	5.4	4.4	6.5	13.4	11.8	0	0	22	0.9	1.7
1977-1981	0.5	0.6	1.4	2.6	4.4	3	5.3	11.2	14.4	27.5	22.8	11.9	31	1	1.9
1982-1986	0	0.4	0.6	0.7	2.4	2.1	7.8	9.2	15.2	11.9	19.6	22.2	36	1	1.6
1987-1991	0.6	0	0	0.6	4.2	1.8	6.2	23.9	12.2	31.5	29.7	42.9	65	1.7	2.3
1992-1996	0.2	0.6	0.8	0	4.9	4.6	4.2	11.2	11.7	18.2	15.7	25.9	61	1.4	1.8
1998-2002	0	0.5	0.6	1.2	1.4	3.5	2.9	12.9	20.6	17.3	20.1	25.6	78	1.6	1.7
2003-2007	0	0.5	0	0.3	2.9	2.3	2.5	11.6	13.9	14.3	15.3	36.5	82	1.5	1.4
2008-2012	0	0.2	1	0.2	1.2	2.5	1.9	5	11.5	8.4	21.6	15	72	1.2	1
2012-2016	0	0.2	0.2	0.7	0.8	1.8	1.2	4.2	5.7	8	7.8	18.7	57	0.9	0.7
2013-2017	0	0.2	0.2	0.7	0.7	1.5	1.1	4.5	3.4	6.9	13.7	18	57	0.9	0.6
2015-2019	0	0.2	0.5	1.2	0.7	1.4	1	5.4	2.5	5	14.2	16.7	61	1	0.7








Cali, Colombia. Tasas de mortalidad por cáncer de esófago específicas por edad, crudas y ajustadas por edad durante el periodo 1984-2023

HOMBRES

Periodo	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85	n	TC	TEE
1984-1988	0	0.5	0.6	1.6	7.1	8	11.6	17.2	33	75.9	65.2	76.2	75	2.4	3.9
1989-1993	0.3	0	0	3.9	3	5.9	13.7	23.5	24	42	49.1	80	79	2.2	3.4
1994-1998	0	0.3	0.8	1.6	3.8	5.9	13.6	21.8	38.8	32.7	37.9	110.4	101	2.5	3.6
1999-2003	0	0.6	1	2.2	2.7	9.1	7	10.2	23.6	33.4	50.6	67.9	99	2.2	2.7
2004-2008	0.3	0.3	1.2	0.6	2.2	5	5.2	10.4	15.1	23	42.9	48.1	89	1.8	2
2009-2013	0.2	0.5	0	1.2	1.4	4.4	5.8	11.2	18.4	28	24.9	25.2	100	1.8	1.9
2014-2018	0	0.5	0	0.6	1.3	3.3	8.6	8.8	14.5	20.6	33.1	25.7	95	1.7	1.7
2019-2023	0	1.1	1.2	0.7	0	4.9	4.2	8	11.8	17.3	22.8	30.9	113	2.1	1.5

MUJERES

Periodo	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85	n	TC	TEE
1984-1988	0	0	0	0	1.5	2	3.7	26	9.6	14.8	36.2	28.1	40	1.1	1.7
1989-1993	0.5	0	0	0.6	3.3	7.5	3.9	12.6	13.4	23.6	9.2	28.9	52	1.3	1.8
1994-1998	0	0.3	1.5	0	1.1	1.4	4.8	10.1	21	22.4	0	22.9	54	1.2	1.5
1999-2003	0.2	0.3	0.6	0.7	0.9	2.3	2.1	11.4	13.8	8.1	5.5	34.6	58	1.2	1.3
2004-2008	0	0.2	0.5	0.3	1.4	1.3	1.2	4.2	9.6	7.6	8.3	21.5	48	0.9	0.8
2009-2013	0	0.2	0.2	0	0.6	1.7	3.2	4.9	6	5	18.4	19.6	58	1	0.8
2014-2018	0	0.2	0.2	0	0.3	1.6	2.5	3.9	7.3	5.5	9.7	13.6	52	0.9	0.7
2019-2023	0	0	0.3	0.3	0.3	0.8	1.8	2.6	3	7.7	11.9	14.4	62	1	0.5



TC Tasas crudas; TEE Tasas estandarizadas por edad con la población mundial de referencia